Google.com

"active state" "standby state" "network card"

"network card" state transition

IEEE

(network or interface) <near/2> card

(network or interface) <near/2> card and (standby or state or transition)

(network or interface) <near/2> card <near/8> (application or software or task)

	L #	Hits	Search Text	DBs
1	L1	0	6650640.pn. and cpu and pci and disk near2 database	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	1	6650640.pn. and cpu and pci and database	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L3	62	standby near3 lock$2 near3 state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	4	3 and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	707	(deny$3 or prevent$3 or refus$3) near4 access$3 near5 (database or ram)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L6	511	5 and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L7	18638	5 and network adj2 card or interface adj2 card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L8	84	5 and (network adj2 card or interface adj2 card)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L9	41	8 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L10	2	5 same (network adj2 card or interface adj2 card)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	927	state near3 transition$3 and network near2 card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	43	1 and application and switchover	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L3	240	state with transition$3 and network adj card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	22	provisioning adj state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	20	4 and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L6	1	4 and network adj card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L8	7	4 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L7	14	2 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L9	2	(state with transition$3).ti,ab,clm. and (network adj card).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L10	0	pnni and cpro and cema	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
11	L11	475	pnni	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
12	L12	40	11 and line adj card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
13	L13	14	12 and state near3 transition$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
14	L14	307	network adj (card or interface) and (transition$3 near6 state).clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
15	L15	16	14 and standby near3 state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
16	L16	91	14 and active near3 state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
17	L17	26	14 and active and standby	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
18	L18	11	17 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
19	L19	54796	network adj2 (card or interface)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
20	L20	1194	709/250.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
21	L21	665	19 and 20	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
22	L22	424	21 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
23	L23	238	active and standby and card and switchover	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
24	L24	228	active and standby and card and switchover and (transition or state)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
25	L25	136	active and standby and card and switchover and (transition)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
26	L26	107	25 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
27	L27	12	network adj2 card with (transition or state) near6 (active or standby or lock or ready or quiescent or provision)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
28	L28	25	(Pnni or cpro or cema) and network adj2 card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
29	L29	14	(Pnni or cpro or cema) and network adj2 card and transition	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
30	L30	61751	(standby or active or state) near5 transition	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
31	L31	116	19 same 30	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
32	L32	56	31 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
33	L33	0	(reject$3 or deny$3) near3 (simple adj network adj management adj protocol or snmp) near3 set	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
34	L34	60513	state near6 transition$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
35	L35	37839	active near3 state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
36	L36	118967	(passive or standby or off or sleep) near3 state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
37	L37	267	19 and 34 and 35 and 36	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
38	L38	167	37 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
39	L39	157	network adj2 card with (state or transition)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
40	L40	39	network adj2 card with (state or transition).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
41	L41	87	39 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
42	L42	24	40 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
43	L43	125	(network adj2 card).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
44	L44	49	43 and (state or transition or standby)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
45	L45	32	44 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB